

It is a lightweight, functional and svelte but very stable base. The oval column, available in two heights, and it's the round injected aluminum base distinguish the design from other bases. The Dual combines with any Top Collection top.

Es una base ligera, esbelta y funcional; siempre muy estable. Dual se diferencia por el rasgo ovalado de su columna, disponible en cuatro alturas, y por su base circular de aluminio inyectado. Combina con cualquier sobre de la colección Top.

Dual

by Lievore Altherr Molina

Dual

Dual





Dual



Waiting area

Zona de espera

◀ **BM 3347 + SB 3478 Dual 45** / BU 0597

Aluminum table base in white finish and laminated top.

Base de mesa de aluminio con acabado blanco y sobre laminado.

Restaurant

Restaurante

▼ **BM 3342 + SB 4463 Dual 45** / SI 1248

Aluminum table base in black finish and compact board top.

Base de mesa de aluminio con acabado negro y sobre compacto.

Dual

Waiting area
Zona de espera
▼ **BM 3347 + SB 4580** / BU 4201
Occasional aluminum table in matte white
finish and round compact top.
Mesa auxiliar de aluminio en acabado blanco
mate y sobre redondo compacto.



Dual

Cafeteria
Cafetería
► **BM 4392+ SB 3480 Dual 50** / SI 0374
Aluminum table base in white finish
and laminated board top.
Base de mesa de aluminio con
acabado blanco y sobre laminado.



Dual



▲ **BM 4376 + SB 3942 Dual 45**

Aluminum table base in white finish and laminated top.
Base de mesa de aluminio con acabado blanco y sobre laminado.

▲ **BM 3342 + SB 3479 Dual 45**

Aluminum table base in black finish and laminated top.
Base de mesa de aluminio con acabado negro y sobre laminado.

▲ **BM 3340 + SB 3468 Dual 45**

Aluminum table base in polished aluminum finish and oak top.
Base de mesa de aluminio con acabado aluminio pulido y sobre de roble.

Restaurant
Restaurante

► **BM 3342 + SB 4463 Dual 45** / SI 1248

Aluminum table base in black finish and lacquered top.
Base de mesa de aluminio con acabado negro y sobre lacado.

Meeting room
Sala de reuniones

► **BM 4392 + SB 4584 Dual 50** / SO 1305

Aluminum table base in white finish and high pressure laminated top (HPL).
Base de mesa de aluminio con acabado blanco y sobre compacto laminado de alta presión (HPL).



Dual



Dual

**Restaurant
Restaurante**

▼ **BM 3356 + SB 3515 Dual 60** / SI 0653

Aluminum table base in white finish and
oak top.

Base de mesa de aluminio con acabado
blanco y sobre de roble.

Dual

Dual

Base

Injected aluminum table base with an oval column and rounded base plate. Available in 3 different diameters and 4 heights. Offered in polished aluminum, matte white or matte black. Combinable with any model from our Top collection.

Base de mesa con pie circular y columna ovalada de inyección de aluminio. Disponible en 3 diámetros y 4 alturas diferentes. Se ofrece en acabados aluminio pulido, blanco mate o negro mate. Combinable con cualquier modelo de la colección Top.

Aluminum
Aluminio

Polished aluminum
Aluminio pulido

Matte white
Blanco mate

Matte black
Negro mate

Measurements / Medidas

Dual 45



Dual

Measurements / Medidas

Dual 50



Dual 60



Dual

Sobres de mesa / Table tops

Top 18
18 mm./0.75in. thick table top with bevelled edge.
Sobre de mesa de 18mm./0.75in. de espesor con canto biselado.

Finishes / acabados
Oak / Roble
Laminated / Laminado
Lacquered / Lacado
Linoleum / Linóleo
Ultra-matte / Ultramate



Top 23
23mm./1in. thick two face table top finished in a maple veneer.
Sobres de 23mm. chapados arce a dos caras.

Lacquered / Lacado
Maple / Arce
Linoleum / Linóleo
Ultra-matte / Ultramate




Top 30 Square
30mm./1.18in. thick laminated table top.
Sobre de mesa laminado de 30mm./1.18in. de espesor.

Oak / Roble
Laminated / Laminado
Laminated TP / Laminado TP
Lacquered / Lacado
Linoleum / Linóleo
Ultra-matte / Ultramate
Ultra-matte TP / Ultramate TP



Top Solid Surface
12mm./0.5in. thick solid surface table top. Available in Glacier White color. Suitable for outdoor use.
Sobre de mesa de 12mm./0.5in. de espesor con canto biselado. Disponible en color blanco glaciar. Adecuado para uso en exteriores.



Sobres de mesa / Table tops

Top SP 40
Laminate table top, 40 mm / 1.18 in thickness and matching thermopolyer edge.
Sobre de mesa laminado de 40mm y con canto de termopolimero a juego.

Laminated / Laminado
Lacquered / Lacado
Linoleum / Linóleo
Ultra-matte / Ultramate



Top Glass 10
10mm./0.4in. thick tempered glass. Optical glass version available. Suitable for outdoor use. The total thickness of table top is 10mm. glass + 12mm./0.5in. compact HPL.
10mm./0.4in. Vidrio templado. Versión de cristal óptico disponible. Adecuado para uso en exteriores. El grosor total de la mesa es de 10 mm. vidrio + 12mm./0.5in. Compacto HPL.





Top Compacto HPL
12mm./0.5in. thick solid core high pressure laminate top (HPL). Suitable for outdoor and high traffic areas.
Sobre de mesa de 12mm./0.5in. de espesor, con cubierta laminada de alta presión y centro compacto (HPL). Adecuado para zonas exteriores y de alto tránsito.



Top Technical Stone
3mm./0.15in ceramic top + 5mm./0.2in glass board. Colors: brown earth, sand gray, stone gray. Valid for any central column collection. Suitable for outdoor use.
Tablero de mesa compuesto por una cubierta cerámica de 3mm./0.15in. + tablero de vidrio de 5mm./0.2in. Colores: Marrón tierra, Gris arena, Gris piedra. Válido para cualquier colección de columna central. Válido para su uso en exterior.




Table base with round base and injected aluminum oval column in matte white or matte black finish. Combinable with all Top collection models.



Frame Injected aluminum table base with an oval column and rounded base plate.

Other materials Height adjustable polypropylene blocks. Central cross made of injected aluminum.


Aluminum finish



Resistance and Quality ISO 9001:2008
 UNE-EN 15372:2008

Sustainability ISO 14001:2004
 ISO 14006:2011
 level 1 ANSI/BIFMA

Table base with round base and injected aluminum oval column in polished aluminum finish. Combinable with all Top collection models.



0,2  21,6  1 

Frame Injected aluminum table base with an oval column and rounded base plate.

Other materials Height adjustable polypropylene blocks. Central cross made of injected aluminum.

Aluminum finish




Polished
Aluminum

Resistance and Quality ISO 9001:2008
UNE-EN 15372:2008

Sustainability ISO 14001:2004
ISO 14006:2011
level 1 ANSI/BIFMA

Table base with round base and injected aluminum oval column in matte white or matte black finish.
Combinable with all Top collection models.



Frame Injected aluminum table base with an oval column and rounded base plate.

Other materials	Height adjustable polypropylene blocks. Central cross made of injected aluminum.
------------------------	--

**Aluminum
finish**

EPXB
White




EPXN
Black

Resistance and Quality	ISO 9001:2008
	UNE-EN 15372:2008

Sustainability	ISO 14001:2004
	ISO 14006:2011
	level 1 ANSI/BIFMA

Table base with round base and injected aluminum oval column in polished aluminum finish. Combinable with all Top collection models.



Frame Injected aluminum table base with an oval column and rounded base plate.

Other materials Height adjustable polypropylene blocks. Central cross made of injected aluminum.

Aluminum finish




Polished Aluminum

Resistance and Quality ISO 9001:2008
UNE-EN 15372:2008

Sustainability ISO 14001:2004
ISO 14006:2011
level 1 ANSI/BIFMA

Table base with round base and injected aluminum oval column in polished aluminum finish. Combinable with all Top collection models.



0,43  25,65  1 

Frame Injected aluminum table base with an oval column and rounded base plate.


Other materials Height adjustable polypropylene blocks. Central cross made of injected aluminum.

Aluminum finish 
Polished Aluminum

Resistance and Quality ISO 9001:2008
UNE-EN 15372:2008

Sustainability ISO 14001:2004
ISO 14006:2011
level 1 ANSI/BIFMA

Table base with round base and injected aluminum oval column in polished aluminum finish. Combinable with all Top collection models.



Frame
 Injected aluminum table base with an oval column and rounded base plate.

Other materials
 Height adjustable polypropylene blocks. Central cross made of injected aluminum.


Aluminum finish

 Polished Aluminum

Resistance and Quality
 ISO 9001:2008
 UNE-EN 15372:2008

Sustainability
 ISO 14001:2004
 ISO 14006:2011
 level 1 ANSI/BIFMA


Table base with round base and injected aluminum oval column in matte white or matte black finish. Combinable with all Top collection models.



Frame Injected aluminum table base with an oval column and rounded base plate.

Other materials Height adjustable polypropylene blocks. Central cross made of injected aluminum.


Aluminum finish



Resistance and Quality ISO 9001:2008
UNE-EN 15372:2008

Sustainability ISO 14001:2004
ISO 14006:2011
level 1 ANSI/BIFMA

Table base with round base and injected aluminum oval column in polished aluminum finish. Combinable with all Top collection models.



Frame
 Injected aluminum table base with an oval column and rounded base plate.

Other materials
 Height adjustable polypropylene blocks. Central cross made of injected aluminum.



Aluminum finish

 Polished Aluminum

Resistance and Quality
 ISO 9001:2008
 UNE-EN 15372:2008

Sustainability
 ISO 14001:2004
 ISO 14006:2011
 level 1 ANSI/BIFMA


Table base with round base and injected aluminum oval column in matte white or matte black finish.
 Combinable with all Top collection models.



Frame
 Injected aluminum table base with an oval column and rounded base plate.

Other materials
 Height adjustable polypropylene blocks. Central cross made of injected aluminum.



Aluminum finish



Resistance and Quality
 ISO 9001:2008
 UNE-EN 15372:2008

Sustainability
 ISO 14001:2004
 ISO 14006:2011
 level 1 ANSI/BIFMA

Occasional table base with round base and injected aluminum oval column in polished aluminum finish.
Combinable with all Top collection models.



Frame Injected aluminum table base with an oval column and rounded base plate.



Other materials Height adjustable polypropylene blocks. Central cross made of injected aluminum.



Resistance and Quality ISO 9001:2008
UNE-EN 15372:2008

Sustainability ISO 14001:2004
ISO 14006:2011
level 1 ANSI/BIFMA

Table base with round base and injected aluminum oval column in polished aluminum finish. Combinable with all Top collection models.



Frame
 Injected aluminum table base with an oval column and rounded base plate.

Other materials
 Height adjustable polypropylene blocks. Central cross made of injected aluminum.



Aluminum finish

 Polished Aluminum

Resistance and Quality
 ISO 9001:2008
 UNE-EN 15372:2008

Sustainability
 ISO 14001:2004
 ISO 14006:2011
 level 1 ANSI/BIFMA


Table base with round base and injected aluminum oval column in matte white or matte black finish. Combinable with all Top collection models.



Frame Injected aluminum table base with an oval column and rounded base plate.

Other materials Height adjustable polypropylene blocks. Central cross made of injected aluminum.



Aluminum finish



Resistance and Quality ISO 9001:2008
 UNE-EN 15372:2008

Sustainability ISO 14001:2004
 ISO 14006:2011
 level 1 ANSI/BIFMA

Occasional table base with round base and injected aluminum oval column in polished aluminum finish.
 Combinable with all Top collection models.



Frame
 Injected aluminum table base with an oval column and rounded base plate.



Other materials
 Height adjustable polypropylene blocks. Central cross made of injected aluminum.

Aluminum finish
 
 Polished Aluminum

Resistance and Quality
 ISO 9001:2008
 UNE-EN 15372:2008

Sustainability
 ISO 14001:2004
 ISO 14006:2011
 level 1 ANSI/BIFMA


Table base with round base and injected aluminum oval column in matte white or matte black finish. Combinable with all Top collection models.



Frame Injected aluminum table base with an oval column and rounded base plate.

Other materials Height adjustable polypropylene blocks. Central cross made of injected aluminum.

Aluminum finish



Resistance and Quality ISO 9001:2008
UNE-EN 15372:2008

Sustainability ISO 14001:2004
ISO 14006:2011
level 1 ANSI/BIFMA