
SO3000

Brandy Lievore Altherr Molina



Armchair with upholstered seat and aluminum central base with 5 casters, swivel and pneumatic height adjustment. Available in polished aluminum, white or black. The chair rises to 120mm.



Frame

Central aluminum base with 5 casters, swivel and height adjustable with polished aluminum finish. The piston raises

Seat

Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Back

Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Other materials Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Leather/Cuer o Leather

Fabrics

Telas										Ecopiel	
Grade 1		Grade 2		Grade 4		Grade 6		Grade 8		1 Valencia	(1
Era Citadel	(20)	Solid & Stripes	(14)	Hemp	(21)	Chartres Clara 2	(13)	Harald 3	(30)	2 Silvertex 4 Dolce	
Gravity	(20) (30)	Grade 3		Jacquard 4 Special	(15)	Craggan	(24) (10)	Lopi Tonus 4	(15) (64)		(2
Jacquard 1	(10)	Jacquard 4	(15)	Nexus	(15)	Go Check	(40)	Tonus Meadow	(24)	7 Sudden	
Jacquard 3	(15)	Linen	(8)	Oxygen	(32)	Swing	(29)	Torido Trioddott	(= -)	r caaaon	,
Microfibra	(14)	Main Line Flax	(42)	Remix 2	(49)		(/	Grade 9			
Rivet	(24)	Medley	(37)			Grade 7		Divina MD	(27)		
Sand	(5)	Natte	(9)	Grade 5		Canvas 2	(45)	Divina Melange 2	(24)		
Urban	(24)	Revive 1	(25)	Blazer	(60)	Rime	(27)	Hallingdal 65	(58)		
Xtreme	(25)			Messenger 4	(44)			Steelcut Trio 3	(54)		
		Grade 4		Silk	(21)	Grade 8					
Grade 2		Cava 3	(49)	Step	(57)	Capture	(25)				
High Tech On	e (5)	Field	(24)	Step Melange	(54)	Divina 3	(56)				
Innaunard 2	(16)	Floyd	(33)	Suporau	(75)	Fiord	(27)				

Aluminum finish



Aluminum finish



SO3000 Brandy Lievore Altherr Molina

Glides





Resistance and Quality ISO 9001:2008

UNE-EN 16139:2013

Fireproof

BS 5852:1982 Part 2

California Technical Bulletin 117

UNE-EN 1021-1:2006 UNI 9175 (class 1 IM)

Sustainability

ISO 14001:2004

ISO 14006:2011


SO2999

Brandy

Lievore Altherr Molina, S.L.



Armchair with a four star aluminum swivel base, with self-return system, and finished in polished aluminum, white or black. Upholstered seat and backrest.



Frame 4-star aluminum central swivel base with self-return system and polished aluminum finish. Polypropylene glides.

Seat Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Other Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue. materials

Accesories Polypropylene, felt or steel glides.

Leather/Cuer o Leather

High grade cow leather (2

Grade L3

Fabrics

Fabrics

Grade 1		Grade 3		Grade 4		Grade 6		Grade 8	
Era	(20)	Jacquard 4	(15)	Nexus	(15)	Chartres	(13)	Fiord	(27)
Citadel	(20)	Main Line Flax	(42)	Oxygen	(32)	Clara 2	(24)	Harald 3	(30)
Gravity	(30)	Medley	(37)	Remix 2	(49)	Craggan	(10)	Lopi	(15)
Jacquard 1	(10)	Revive 1	(25)			Go Check	(40)	Tonus 4	(64)
Jacquard 3	(15)		200	Grade 5		Swina	(29)	Tonus Meadow	(24)
Rivet	(24)	Grade 4		Blazer	(60)		(C.C.)		108206
Urban	(24)	Cava 3	(49)	Messenger 4	(44)	Grade 7		Grade 9	
Xtreme	(25)	Field	(24)	Silk	(21)	Canvas 2	(45)	Divina MD	(27)
		Floyd	(23)	Step	(57)	Rime	(27)	Divina Melange	2 (24)
Grade 2		Hemp	(21)	Step Melange	(54)		1000	Hallingdal 65	(58)
High Tech Or	ne (5)	Jacquard 4		Synergy	(75)	Grade 8		Steelcut Trio 3	(54)
Jacquard 2	(15)	Special for Nuez	(15)			Capture	(25)		
	1000	12.000	4			Divina 3	(56)		

 aux Leather Inv. Leather Inv. Valencia (16)
 Grade L1
 Grade L1
 Leather Inv. Valencia (16)
 High grade cow leather (21)
 (21)

 Doloe (15)
 Ledger (23)
 Grade L3
 Grade L3
 Polished full grain leather (21)

Aluminum finish



Polished Aluminum

Aluminum finish



SO2999

Brandy
Lievore Altherr Molina, S.L.

Resistance and Quality ISO 9001:2008

UNE-EN 16139:2013

Fireproof BS 5852:1982 Part 2

California Technical Bulletin 117

UNE-EN 1021-1:2006 UNI 9175 (class 1 IM)

Sustainability FSC

ISO 14001:2004

ISO 14006:2011


SO2997

Brandy

Lievore Altherr Molina

Armchair with solid beech wood central swivel base and upholstered seat and backrest.





Frame Solid beech central swivel base.

Seat Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Back Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Other Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue. materials

Accesories Polypropylene, felt or steel glides.

Leather/Cuer o Leather

Fabrics

Telas										Ecopiel
Grade 1		Grade 2		Grade 4		Grade 6		Grade 8		1 Valencia (16)
Era	(20)	Solid & Stripes	(14)	Hemp	(21)	Chartres	(13)	Harald 3	(30)	2 Silvertex (15)
Citadel	(20)			Jacquard 4		Clara 2	(24)	Lopi	(15)	4 Dolce (15)
Gravity	(30)	Grade 3		Special	(15)	Craggan	(10)	Tonus 4	(64)	5 Ledger (28)
Jacquard 1	(10)	Jacquard 4	(15)	Nexus	(15)	Go Check	(40)	Tonus Meadow	(24)	7 Sudden (30)
Jacquard 3	(15)	Linen	(8)	Oxygen	(32)	Swing	(29)			
Microfibra	(14)	Main Line Flax	(42)	Remix 2	(49)		(/	Grade 9		
Rivet	(24)	Medlev	(37)		()	Grade 7		Divina MD	(27)	
Sand	(5)	Natte	(9)	Grade 5		Canvas 2	(45)	Divina Melange 2		
Urban	(24)	Revive 1	(25)	Blazer	(60)	Rime	(27)	Hallingdal 65	(58)	
Xtreme	(25)		(=0)	Messenger 4	(44)		()	Steelcut Trio 3	(54)	
, 01110	(=0)	Grade 4		Silk	(21)	Grade 8		01001001 1110 0	(0.)	
Grade 2		Cava 3	(49)	Step	(57)	Capture	(25)			
High Tech Or	ne (5)	Field	(24)	Step Melange		Divina 3	(56)			
Jacquard 2	(15)	Floyd	(23)	Synergy	(75)	Fiord	(27)			

Wood finish Beech























SO2997 BrandyLievore Altherr Molina

Glides













Resistance and Quality

ISO 9001:2008

UNE-EN 16139:2013

Fireproof BS 5852:1982 Part 2

California Technical Bulletin 117

UNE-EN 1021-1:2006 UNI 9175 (class 1 IM)

Sustainability

FSC

ISO 14001:2004

ISO 14006:2011


SO2996

Brandy

Lievore Altherr Molina

Armchair with upholstered seat and backrest and 4 solid beech wood legs.





Frame 4-legged beech base.

Seat Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Back Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Other Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue. materials

Accesories Polypropylene, felt or steel glides.

Leather/Cuer o Leather

Fabrics

Telas										Ecopiel
Grade 1		Grade 2		Grade 4		Grade 6		Grade 8		1 Valencia (16)
Era Citadel	(20) (20)	Solid & Stripes	(14)	Hemp Jacquard 4	(21)	Chartres Clara 2	(13) (24)	Harald 3 Lopi	(30) (15)	2 Silvertex (15) 4 Dolce (15)
Gravity	(30)	Grade 3		Special	(15)	Craggan	(10)	Tonus 4	(64)	5 Ledger (28)
Jacquard 1	(10)	Jacquard 4	(15)	Nexus	(15)	Go Check	(40)	Tonus Meadow	(24)	7 Sudden (30)
Jacquard 3	(15)	Linen	(8)	Oxygen	(32)	Swing	(29)			
Microfibra	(14)	Main Line Flax	(42)	Remix 2	(49)		. ,	Grade 9		
Rivet	(24)	Medley	(37)			Grade 7		Divina MD	(27)	
Sand	(5)	Natte	(9)	Grade 5		Canvas 2	(45)	Divina Melange 2	(24)	
Urban	(24)	Revive 1	(25)	Blazer	(60)	Rime	(27)	Hallingdal 65	(58)	
Xtreme	(25)		. ,	Messenger 4	(44)		. ,	Steelcut Trio 3	(54)	
		Grade 4		Silk	(21)	Grade 8				
Grade 2		Cava 3	(49)	Step	(57)	Capture	(25)			
High Tech O	ne (5)	Field	(24)	Step Melange	(54)	Divina 3	(56)			
Jacquard 2	(15)	Floyd	(23)	Synergy	(75)	Fiord	(27)			

Wood finish Beech































606L RAL 1005 Yellow Mustard

SO2996 BrandyLievore Altherr Molina

Glides













Resistance and Quality

ISO 9001:2008

UNE-EN 16139:2013

Fireproof

BS 5852:1982 Part 2

California Technical Bulletin 117

UNE-EN 1021-1:2006 UNI 9175 (class 1 IM)

Sustainability

FSC

ISO 14001:2004

ISO 14006:2011


SO2995

Brandy

Lievore Altherr Molina

Armchair with upholstered seat and backrest, steel oval cantilever base in polished chrome finish.





Frame Solid steel cantilevered base. Polypropylene glides.

Seat Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Back Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Other Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue. materials

Accesories Polypropylene, felt or steel glides.

Leather/Cuer o Leather

Leather

High grade cow leather (2

Grade L3

Poliched full grain leather (21


Fabrics

Telas										Ecopiel	
Grade 1 Era Citadel Gravity Jacquard 1 Jacquard 3 Microfibra Rivet Sand Urban Xtreme Grade 2 High Tech On Jacquard 2	(20) (20) (30) (10) (15) (14) (24) (5) (24) (25)	Grade 2 Solid & Stripes Grade 3 Jacquard 4 Linen Main Line Flax Medley Natte Revive 1 Grade 4 Cava 3 Field Flovd	(14) (15) (8) (42) (37) (9) (25) (49) (24) (23)	Grade 4 Hemp Jacquard 4 Special Nexus Oxygen Remix 2 Grade 5 Blazer Messenger 4 Silk Step Step Melange Synergy	(21) (15) (15) (32) (49) (60) (44) (21) (57) (54) (75)	Grade 6 Chartres Clara 2 Craggan Go Check Swing Grade 7 Canvas 2 Rime Grade 8 Capture Divina 3 Fiord	(13) (24) (10) (40) (29) (45) (27) (25) (56) (27)	Grade 8 Harald 3 Lopi Tonus 4 Tonus Meadow Grade 9 Divina MD Divina Melange 2 Hallingdal 65 Steelcut Trio 3	(30) (15) (64) (24) (27) (24) (58) (54)	1 Valencia 2 Silvertex 4 Dolce 5 Ledger 7 Sudden	

Steel finish



Aluminum finish



SO2995

Brandy
Lievore Altherr Molina

Glides







Resistance and Quality ISO 9001:2008

UNE-EN 16139:2013

Fireproof

BS 5852:1982 Part 2

California Technical Bulletin 117

UNE-EN 1021-1:2006 UNI 9175 (class 1 IM)

Sustainability

ISO 14001:2004


ISO 14006:2011

SO2994

Brandy

Lievore Altherr Molina

Armchair with upholstered seat and backrest and 4-legged steel base in polished chrome finish.



Frame 4-legged 1/2 inch (14 mm) steel tube base. Polypropylene glides.

Seat Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Back Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Other materials Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Accesories Polypropylene, felt or steel glides.

Leather/Cuer o Leather

Grade L3 Polished full grain leather (21)

Fabrics

Telas										Ecopiel	
Grade 1 Era Citadel Gravity Jacquard 1 Jacquard 3 Microfibra	(20) (20) (30) (10) (15) (14)	Grade 2 Solid & Stripes Grade 3 Jacquard 4 Linen Main Line Flax	(14) (15) (8) (42)	Grade 4 Hemp Jacquard 4 Special Nexus Oxygen Remix 2	(21) (15) (15) (32)	Grade 6 Chartres Clara 2 Craggan Go Check Swing	(13) (24) (10) (40) (29)	Grade 8 Harald 3 Lopi Tonus 4 Tonus Meadow Grade 9	(30) (15) (64) (24)	1 Valencia (1 2 Silvertex (1 4 Dolce (1 5 Ledger (2 7 Sudden (3	5) 5) 8)
Rivet Sand Urban Xtreme	(24) (5) (24) (25)	Main Line Flax Medley Natte Revive 1	(37) (9) (25)	Grade 5 Blazer Messenger 4 Silk	(49) (60) (44) (21)	Grade 7 Canvas 2 Rime Grade 8	(45) (27)	Divina MD Divina Melange 2 Hallingdal 65 Steelcut Trio 3	(27) (24) (58) (54)		
Grade 2 High Tech Or Jacquard 2	ne (5) (15)	Cava 3 Field Floyd	(49) (24) (23)	Step Step Melange Synergy	(57)	Capture Divina 3 Fiord	(25) (56) (27)				

Steel finish



Aluminum finish



SO2994

Brandy
Lievore Altherr Molina

Glides







Resistance and Quality ISO 9001:2008

UNE-EN 16139:2013

Fireproof

BS 5852:1982 Part 2

California Technical Bulletin 117

UNE-EN 1021-1:2006 UNI 9175 (class 1 IM)

Sustainability

ISO 14001:2004


ISO 14006:2011

SO2993

BrandyLievore Altherr Molina

Armchair with upholstered seat and backrest, steel sled base in polished chrome finish.





Frame Sled base of 12 mm diameter steel rod. Polypropylene glides.

Seat Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Back Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Accesories Polypropylene, felt or steel glides.

Leather/Cuer

o Leather

Fabrics

Telas										Ecopiel
Grade 1		Grade 2		Grade 4		Grade 6		Grade 8		1 Valencia (16)
Era	(20)	Solid & Stripes	(14)	Hemp	(21)	Chartres	(13)	Harald 3	(30)	2 Silvertex (15)
Citadel	(20)			Jacquard 4		Clara 2	(24)	Lopi	(15)	4 Dolce (15)
Gravity	(30)	Grade 3		Special	(15)	Craggan	(10)	Tonus 4	(64)	5 Ledger (28)
Jacquard 1	(10)	Jacquard 4	(15)	Nexus	(15)	Go Check	(40)	Tonus Meadow	(24)	7 Sudden (30)
Jacquard 3	(15)	Linen	(8)	Oxygen	(32)	Swing	(29)			
Microfibra	(14)	Main Line Flax	(42)	Remix 2	(49)			Grade 9		
Rivet	(24)	Medley	(37)			Grade 7		Divina MD	(27)	
Sand	(5)	Natte	(9)	Grade 5		Canvas 2	(45)	Divina Melange 2	(24)	
Urban	(24)	Revive 1	(25)	Blazer	(60)	Rime	(27)	Hallingdal 65	(58)	
Xtreme	(25)		. ,	Messenger 4	(44)		. ,	Steelcut Trio 3	(54)	
	, ,	Grade 4		Silk	(21)	Grade 8			. ,	
Grade 2		Cava 3	(49)	Step	(57)	Capture	(25)			
High Tech Or	ne (5)	Field	(24)	Step Melange		Divina 3	(56)			
Jacquard 2	(15)	Floyd	(23)	Synergy	(75)	Fiord	(27)			

Steel finish



Aluminum finish



SO2993

Brandy
Lievore Altherr Molina

Glides







Resistance and Quality ISO 9001:2008

UNE-EN 16139:2013

Fireproof

BS 5852:1982 Part 2

California Technical Bulletin 117

UNE-EN 1021-1:2006 UNI 9175 (class 1 IM)

Sustainability

ISO 14001:2004


ISO 14006:2011

BU3001 Brandy

Lievore Altherr Molina

Lounge chair with upholstered seat and backrest and wooden baseboard. Optional swivel base with self-return system.





Frame Tubular steel interior frame with polypropylene elastic seat straps.

Seat Shell made of flexible and fire resistant injected polyurethane foam with density of 60 kg/m3.

Back Shell of flexible and flame retardant polyurethane foam with desity of 132 lb/ft3 (60 kg/m3).

Arms Shell made of flexible and fire resistant injected polyurethane foam with density of 60 kg/m3.

Other materials

Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Accesories Polypropylene, felt or steel glides.

Leather/Cuer o Leather

Grade L3 Polished full grain leather (21)

Fabrics

Telas										Ecopiel
Grade 1		Grade 2		Grade 4		Grade 6		Grade 8		1 Valencia (1
Era	(20)	Solid & Stripes	(14)	Hemp	(21)	Chartres	(13)	Harald 3	(30)	2 Silvertex (1
Citadel	(20)			Jacquard 4		Clara 2	(24)	Lopi	(15)	4 Dolce (1:
Gravity	(30)	Grade 3		Special	(15)	Craggan	(10)	Tonus 4	(64)	5 Ledger (2
Jacquard 1	(10)	Jacquard 4	(15)	Nexus	(15)	Go Check	(40)	Tonus Meadow	(24)	7 Sudden (3
Jacquard 3	(15)	Linen	(8)	Oxygen	(32)	Swina	(29)		. ,	,
Microfibra	(14)	Main Line Flax	(42)	Remix 2	(49)		. ,	Grade 9		
Rivet	(24)	Medlev	(37)		,	Grade 7		Divina MD	(27)	
Sand	(5)	Natte	(9)	Grade 5		Canvas 2	(45)	Divina Melange 2		
Urban	(24)	Revive 1	(25)	Blazer	(60)	Rime	(27)	Hallingdal 65	(58)	
Xtreme	(25)		()	Messenger 4	(44)		()	Steelcut Trio 3	(54)	
	(/	Grade 4		Silk	(21)	Grade 8			(- ·/	
Grade 2		Cava 3	(49)	Step	(57)	Capture	(25)			
High Tech Or	ne (5)	Field	(24)	Step Melange		Divina 3	(56)			
Jacquard 2	(15)	Floyd	(23)	Synergy	(75)	Fiord	(27)			

Wood finish Beech





































BU3001 BrandyLievore Altherr Molina

Glides













Resistance and Quality

ISO 9001:2008 UNE-EN 16139:2013

Fireproof

BS 5852:1982 Part 2

Sustainability

FSC

ISO 14001:2004


ISO 14006:2011

BU2998 Brandy

Lievore Altherr Molina

Lounge chair with upholstered seat and backrest and 4-legged solid beech wood frame.





Frame 4-legged beech base.

Seat Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Back Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m3 and 40 kg/m3.

Other Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue. materials

Accesories Polypropylene, felt or steel glides.

Leather/Cuer o Leather

Fabrics

Telas										Ecopiel
Grade 1		Grade 2		Grade 4		Grade 6		Grade 8		1 Valencia (16)
Era Citadel	(20) (20)	Solid & Stripes	(14)	Hemp Jacquard 4	(21)	Chartres Clara 2	(13) (24)	Harald 3 Lopi	(30) (15)	2 Silvertex (15) 4 Dolce (15)
Gravity	(30)	Grade 3		Special	(15)	Craggan	(10)	Tonus 4	(64)	5 Ledger (28)
Jacquard 1	(10)	Jacquard 4	(15)	Nexus	(15)	Go Check	(40)	Tonus Meadow	(24)	7 Sudden (30)
Jacquard 3	(15)	Linen	(8)	Oxygen	(32)	Swing	(29)			
Microfibra	(14)	Main Line Flax	(42)	Remix 2	(49)			Grade 9		
Rivet	(24)	Medley	(37)			Grade 7		Divina MD	(27)	
Sand	(5)	Natte	(9)	Grade 5		Canvas 2	(45)	Divina Melange 2		
Urban	(24)	Revive 1	(25)	Blazer	(60)	Rime	(27)	Hallingdal 65	(58)	
Xtreme	(25)			Messenger 4	(44)			Steelcut Trio 3	(54)	
		Grade 4		Silk	(21)	Grade 8				
Grade 2		Cava 3	(49)	Step	(57)	Capture	(25)			
High Tech Or	ne (5)	Field	(24)	Step Melange	(54)	Divina 3	(56)			
Jacquard 2	(15)	Floyd	(23)	Synergy	(75)	Fiord	(27)			

Wood finish Beech





































BU2998 BrandyLievore Altherr Molina

Glides













Resistance and Quality

ISO 9001:2008

UNE-EN 16139:2013

Fireproof

BS 5852:1982 Part 2

California Technical Bulletin 117

UNE-EN 1021-1:2006 UNI 9175 (class 1 IM)

Sustainability

FSC

ISO 14001:2004


ISO 14006:2011

BU2991 Brandy

Lievore Altherr Molina

Lounge chair with upholstered seat and backrest and wooden baseboard.





Frame Tubular steel interior frame with polypropylene elastic seat straps.

Seat Shell made of flexible and fire resistant injected polyurethane foam with density of 60 kg/m3.

Back Shell of flexible and flame retardant polyurethane foam with desity of 132 lb/ft3 (60 kg/m3).

Arms Shell made of flexible and fire resistant injected polyurethane foam with density of 60 kg/m3.

Other materials

Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Accesories Polypropylene, felt or steel glides.

Leather/Cuer o Leather

Grade L3 Polished full grain leather (21)

Fabrics

Telas										Ecopiel	
Grade 1		Grade 2		Grade 4		Grade 6	***	Grade 8	(0.0)	1 Valencia	
Era Citadel	(20) (20)	Solid & Stripes	(14)	Hemp Jacquard 4	(21)	Chartres Clara 2	(13) (24)	Harald 3 Lopi	(30) (15)	2 Silvertex 4 Dolce	(15) (15)
Gravity	(30)	Grade 3		Special 4	(15)	Craggan	(10)	Tonus 4	(64)		(28)
Jacquard 1	(10)	Jacquard 4	(15)	Nexus	(15)	Go Check	(40)	Tonus Meadow	(24)		(30)
Jacquard 3	(15)	Linen	(8)	Oxygen	(32)	Swing	(29)		()		(00)
Microfibra	(14)	Main Line Flax	(42)	Remix 2	(49)			Grade 9			
Rivet	(24)	Medley	(37)		. ,	Grade 7		Divina MD	(27)		
Sand	(5)	Natte	(9)	Grade 5		Canvas 2	(45)	Divina Melange 2	(24)		
Urban	(24)	Revive 1	(25)	Blazer	(60)	Rime	(27)	Hallingdal 65	(58)		
Xtreme	(25)			Messenger 4	(44)			Steelcut Trio 3	(54)		
		Grade 4		Silk	(21)	Grade 8					
Grade 2		Cava 3	(49)	Step	(57)	Capture	(25)				
High Tech Or	ne (5)	Field	(24)	Step Melange	(54)	Divina 3	(56)				
Jacquard 2	(15)	Floyd	(23)	Synergy	(75)	Fiord	(27)				

Wood finish Beech







































BU2991 BrandyLievore Altherr Molina

Glides













Resistance and Quality

ISO 9001:2008 UNE-EN 16139:2013

BS 5852:1982 Part 2 Fireproof

Sustainability

FSC

ISO 14001:2004 ISO 14006:2011 level 1 ANSI/BIFMA